

---

# Die tägliche Überdosis Zucker

## Referenzen

- [1] Yudkin J. Pure, White and Deadly: The Problem of Sugar. London: Davis-Poynter 1972.
- [2] WHO. Sugars intake for adults and children: Guideline. ISBN: 978 92 4 154902 8 2015.
- [3] Malik VS, Hu FB. Sweeteners and Risk of Obesity and Type 2 Diabetes: The Role of Sugar-Sweetened Beverages. *Curr Diab Rep* 2012.
- [4] Imamura F, O'Connor L, Ye Z, et al. Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: systematic review, meta-analysis, and estimation of population attributable fraction. *Bmj* 2015;351:h3576.
- [5] Jameel F, Phang M, Wood LG, Garg ML. Acute effects of feeding fructose, glucose and sucrose on blood lipid levels and systemic inflammation. *Lipids Health Dis* 2014;13:195.
- [6] Teff KL, Grudziak J, Townsend RR, et al. Endocrine and metabolic effects of consuming fructose- and glucose-sweetened beverages with meals in obese men and women: influence of insulin resistance on plasma triglyceride responses. *J Clin Endocrinol Metab* 2009;94:1562-9.
- [7] Welsh JA, Sharma A, Abramson JL, Vaccarino V, Gillespie C, Vos MB. Caloric sweetener consumption and dyslipidemia among US adults. *JAMA* 2010;303:1490-7.
- [8] Wölnerhanssen BK, Meyer-Gerspach AC, Schmidt A, et al. Dissociable Behavioral, Physiological and Neural Effects of Acute Glucose and Fructose Ingestion: A Pilot Study. *PloS one* 2015;10:e0130280.
- [9] Steinert RE, Frey F, Topfer A, Drewe J, Beglinger C. Effects of carbohydrate sugars and artificial sweeteners on appetite and the secretion of gastrointestinal satiety peptides. *The British journal of nutrition* 2011;105:1320-8.
- [10] Page KA, Chan O, Arora J, et al. Effects of fructose vs glucose on regional cerebral blood flow in brain regions involved with appetite and reward pathways. *JAMA* 2013;309:63-70.
- [11] Cha SH, Wolfgang M, Tokutake Y, Chohnan S, Lane MD. Differential effects of central fructose and glucose on hypothalamic malonyl-CoA and food intake. *Proc Natl Acad Sci U S A* 2008;105:16871-5.
- [12] Stanhope KL, Schwarz JM, Keim NL, et al. Consuming fructose-sweetened, not glucose-sweetened, beverages increases visceral adiposity and lipids and decreases insulin sensitivity in overweight/obese humans. *The Journal of clinical investigation* 2009;119:1322-34.
- [13] Chun S, Choi Y, Chang Y, et al. Sugar-sweetened carbonated beverage consumption and coronary artery calcification in asymptomatic men and women. *Am Heart J* 2016;177:17-24.
- [14] Yang Q, Zhang Z, Gregg EW, Flanders WD, Merritt R, Hu FB. Added sugar intake and cardiovascular diseases mortality among US adults. *JAMA Intern Med* 2014;174:516-24.

- [15] Alwahsh SM, Gebhardt R. Dietary fructose as a risk factor for non-alcoholic fatty liver disease (NAFLD). *Arch Toxicol* 2017;91:1545-63.
- [16] Johnson RJ, Sanchez-Lozada LG, Nakagawa T. The effect of fructose on renal biology and disease. *Journal of the American Society of Nephrology : JASN* 2010;21:2036-9.
- [17] Fowler SP, Williams K, Resendez RG, Hunt KJ, Hazuda HP, Stern MP. Fueling the obesity epidemic? Artificially sweetened beverage use and long-term weight gain. *Obesity* 2008;16:1894-900.
- [18] Stellman SD, Garfinkel L. Patterns of artificial sweetener use and weight change in an American Cancer Society prospective study. *Appetite* 1988;11 Suppl 1:85-91.
- [19] de Koning L, Malik VS, Rimm EB, Willett WC, Hu FB. Sugar-sweetened and artificially sweetened beverage consumption and risk of type 2 diabetes in men. *The American journal of clinical nutrition* 2011;93:1321-7.
- [20] Suez J, Korem T, Zeevi D, et al. Artificial sweeteners induce glucose intolerance by altering the gut microbiota. *Nature* 2014;514:181-6.
- [21] Palmnas MS, Cowan TE, Bomhof MR, et al. Low-dose aspartame consumption differentially affects gut microbiota-host metabolic interactions in the diet-induced obese rat. *PloS one* 2014;9:e109841.
- [22] Romo-Romo A, Aguilar-Salinas CA, Brito-Cordova GX, Gomez-Diaz RA, Almeda-Valdes P. Sucralose decreases insulin sensitivity in healthy subjects: a randomized controlled trial. *The American journal of clinical nutrition* 2018;108:485-91.
- [23] Nettleton JE, Reimer RA, Shearer J. Reshaping the gut microbiota: Impact of low calorie sweeteners and the link to insulin resistance? *Physiology & behavior* 2016;164:488-93.
- [24] Lohner S, Toews I, Meerpohl JJ. Health outcomes of non-nutritive sweeteners: analysis of the research landscape. *Nutr J* 2017;16:55.
- [25] Wolnerhanssen BK, Cajacob L, Keller N, et al. Gut hormone secretion, gastric emptying, and glycemic responses to erythritol and xylitol in lean and obese subjects. *Am J Physiol Endocrinol Metab* 2016;310:E1053-61.

# Rezept für einen strahlungsarmen Mobilfunk

## Artikel im Oekoskop 2/19

### Literatur zum Artikel

- Begriffe + Abkürzungen – Glossar zum Bauwesen und zur Bauhygiene [IBH 2017-2019 Webseite]
- Mobilkommunikation und Rundfunk der Zukunft, Konzepte zur Minimierung der Exposition der Bevölkerung durch elektromagnetische Felder [Wiesbeck 2004, IHE Universität Karlsruhe (TH)]
- Massive MIMO: Ten Myths and One Critical Question [Dr. Emil Björnson et al. 2015, ISY Linköping University]
- Modellierung der Kosten eines flächendeckenden Hochbreitbandnetzes in der Schweiz [WIK-Consult 2017, Neumann/Ockenfels/Plückebaum]
- Time-averaged Realistic Maximum Power Levels for the Assessment of Radio Frequency Exposure for 5G Radio Base Stations using Massive MIMO [IEEE Access 2017, Thors et al., Ericson Reserch Stockholm]
- Numerical analysis for infant's unintentional exposure to 3.5 GHz plane wave radiofrequency electromagnetic fields by field test of fifth generation wireless technologies [AGUPUB 2017, Liu et al., University Beijing]
- Radio Frequency Electromagnetic Field Exposure Assessment for future 5G networks [IEEE Conference 2018, Persia et al., Fondazione Ugo Bordoni Rome]
- Bericht zur Umsetzung der Standesinitiativedes Kantons Tessin - Gewährleistung eines landesweit dichten(Ultra-)Hochbreitbandangebots [UVEK 2018]
- Optimal Low-Power Design of a Multicell Multiuser Massive MIMO System at 3.7 GHz for 5G Wireless Networks [Wireless Communications and Mobile Computing 2018, Matalatala et al., Ghent University]
- Practical 3-D Beam Pattern Based Channel Modeling for Multi-Polarized Massive MIMO Systems [Sensor MDPI 2018, Aghaeinezhadfirouzja/Liu/Balador]
- A Survey on Massive MIMO Systems in Presence of Channel and Hardware Impairments [Sensors MDPI 2019, Mokhtari/Sabbaghian/Dinis]
- Radio Frequency Exposure Compliance of Multiple Antennas for Cellular Equipment Based on Semidefinite Relaxation [IEEE T ELECTROMAGN C 2019, Xu et al., Ericson]
- Mitigation of human EMF exposure in downlink of 5G [Ann. Telecommun. 2019, Nasin/Kim]
- Ericsson Mobility Report November 2018 [Ericsson 2018]
- Mobilfunk und Umwelt [IBH 2019, Webseite]

### Über den Autor

- Curriculum Vitae Markus N. Durrer: mein Berufsleben – meine Werte [IBH Expertenstelle Chur 2017- Webseite]

# Mobilfunk: Vorsorgen ist besser als heilen

## Referenzen

- [1] Beurteilung der Evidenz für biologische Effekte schwacher Hochfrequenzstrahlung. Bericht im Auftrag des Bundesamtes für Umwelt (BAFU). Basel, Juni 2014.  
<http://www.bafu.admin.ch/elektrosmog/01095/01096/index.html?lang=de>
- [2] Coureau G, Bouvier G, Labailly P et al. Mobile phone use and brain tumours in the CERENA case-control study. *Occup Environ Med.* 2014 Juli; 71(7): 514-22.  
<https://www.ncbi.nlm.nih.gov/pubmed/24816517>
- [3] Lustenberger C, Murbach M, Dürr R et al. Stimulation of the brain with radiofrequency electromagnetic field pulses affects sleep-dependent performance improvement. *Brain Stimulation* 2013; 6: 805-811. <https://www.ncbi.nlm.nih.gov/pubmed/23482083>
- [4] Foerster M, Thielens A, Joseph W, Eeftens M, Rösli M. A Prospective Cohort Study of Adolescents' Memory Performance and Individual Brain Dose of Microwave Radiation from Wireless Communication. *Environ Health Perspect.* 2018 Jul 23;126(7): 077007.  
<https://www.ncbi.nlm.nih.gov/pubmed/30044230>
- [5] Kesari K.K, Agarwal A, Henkel R. Radiations and male fertility. *Reproductive Biology and Endocrinology.* 2018; 16: 118. <https://www.ncbi.nlm.nih.gov/pubmed/30445985>
- [6] BERENIS Newsletter Nr. 14, Juli 2018: Ertilav et al; Newsletter Nr. 11, September 2017: Sun et al; Newsletter Nr. 5, März 2016: Wang et al; Newsletter Nr. 3, September 2015: Zong et al; Duan et al;  
<https://www.bafu.admin.ch/bafu/de/home/themen/elektrosmog/newsletter.html>
- [7] Odemer R, Odemer F. Effects of radiofrequency electromagnetic radiation (RF-EMF) on honey bee queen development and mating success. *Science of the Total Environment.* 2019; 553-562.
- [8] Buchner H, Eger H, Hopper J. Reduzierte Fruchtbarkeit und vermehrte Missbildungen unter Mobilfunkstrahlung. *Umwelt-Medizin-Gesellschaft.* 2014; 27:3.
- [9] Hässig M, et al. Influence of non ionizing radiation of base stations on the activity of redox proteins in bovines. *BMC Veterinary research.* 2014. 10:136. <https://www.ncbi.nlm.nih.gov/pubmed/24946856>
- [10] Baan R, et al; WHO International Agency for Research on Cancer Monograph Working Group. Carcinogenicity of radiofrequency electromagnetic fields. *Lancet Oncol.* 2011; 12(7):624-6.
- [11] BERENIS Newsletter Nr. 3, September 2015: Lerchl et al.  
<https://www.bafu.admin.ch/bafu/de/home/themen/elektrosmog/newsletter.html>
- [12] BERENIS Newsletter Nr. 15. September 2015 und Newsletter Sonderausgabe November 2019: NTP-Studie und Ramazzinistudie.  
<https://www.bafu.admin.ch/bafu/de/home/themen/elektrosmog/newsletter.html>

- [13] <https://www.icnirp.org/cms/upload/publications/ICNIRPnote2018.pdf>
- [14] IARC Monographs Priorities Group (2019). Advisory Group recommendations on priorities for the IARC Monographs. 2019 June 01; 20(6):763-764. [https://doi.org/10.1016/S1470-2045\(19\)30246-3](https://doi.org/10.1016/S1470-2045(19)30246-3).
- [15] Huss A, et al. Elektromagnetische Felder und Gesundheitsbelastungen- Interdisziplinäre Fallabklärungen im Rahmen eines umweltmedizinischen Beratungsprojektes. Umweltmed Forsch Prax. 2005; 10(1): 21-28.
- [16] Elektromagnetische Hypersensibilität. Bewertung von wissenschaftlichen Studien. Stand Ende 2011. Bericht des Bundesamts für Umwelt 2012. Seite 70 ff.  
<https://www.bafu.admin.ch/bafu/de/home/themen/elektrosmog/publikationen-studien/publikationen/elektromagnetische-hypersensibilitaet.html>
- [17] Yakymenko I, Tsybulin O, Sidorik E, Henshel D, Kyrylenko O, et al. Oxidative mechanisms of biological activity of low-intensity radiofrequency radiation. Electromagn Biol Med. 2016; 35(2):186-202. <https://www.ncbi.nlm.nih.gov/pubmed/2615123021>
- [18] BERENIS Newsletter Nr. 6, Juni 2016: Megha et al.  
<https://www.bafu.admin.ch/bafu/de/home/themen/elektrosmog/newsletter.html>
- [19] Butterfield D.A, Halliwell B. Oxidative stress, dysfunctional glucose metabolism and Alzheimer disease. Nat Rev Neuroscience. 2019 march; 20(3):148-160.  
<https://www.ncbi.nlm.nih.gov/pubmed/?term=Butterfield+Halliwell>
- [20] Pizzino G, Irrera N, Cucinotta M, Pallio G, Mannino F, Arcoraci V, Squadrito F, Altavilla D, Bitto A: Oxidative Stress: Harms and benefits for Human Health. Medicine and Cellular Longevity. 2017; Volume 2017, Article ID 8416763. <https://www.ncbi.nlm.nih.gov/pubmed/28819546>
- [21] Ung L, Pattamatta U, Carnt N, Wilkinson-Berka J.L., Liew G, White A.J.R.(2017). Oxidative stress and reactive oxygen species: a review of their role in ocular disease. Clinical Science 2017 Dec 4; 131(24): 2865-2883. <https://www.ncbi.nlm.nih.gov/pubmed/30247338>
- [22] Sies H, Berndt C, Jones D.P. Oxidative Stress. Annu. Rev. Biochem. 2017; 86: 715-48.  
<https://www.ncbi.nlm.nih.gov/pubmed/28441057>
- [23]  
[https://www.icnirp.org/cms/upload/consultation\\_upload/ICNIRP\\_RF\\_Guidelines\\_PCD\\_2018\\_07\\_11.pdf](https://www.icnirp.org/cms/upload/consultation_upload/ICNIRP_RF_Guidelines_PCD_2018_07_11.pdf)
- [24] BERENIS Newsletter Nr. 14, Juli 2018: Betzalel et al.  
<https://www.bafu.admin.ch/bafu/de/home/themen/elektrosmog/newsletter.html>
- [25] Neufeld E, Kuster N. Systematic derivation of safety limits for time-varying 5G radiofrequency exposure based on analytical models and thermal dose. Health Physics 2018; 115(6): 795ff.  
<https://www.ncbi.nlm.nih.gov/pubmed/30247338>
- [26] Mattsson M, Zeni O, Simko M. Is there a Biological Basis for Therapeutic Applications of Millimetre Waves and THz Waves? J Infrared Milli TeraHz Waves. 2018; 49: 863-878.  
<https://doi.org/10.1007/s10762-018-0483-5>
- [27] Di Ciaula A. Towards 5G communication systems: Are there health implications? International Journal of Hygiene and Environmental Health. 2018 April; 221(3): 367-375.  
<https://www.ncbi.nlm.nih.gov/pubmed/?term=di+Ciaula+5G>